
	Title		IFC_M185BGE_L22-500	
	Part, No.		188-02647	
	Ver.	1	Rev.	0
	Dimension	mm	Request	1708144
Drawing		Checked		Approved
Name	DL			
Date	14.08.2017			



S1	Signal	S2	S3	Color
1	GND5	16	-	bk
2	E3+	-	-	-
3	E3-	-	-	-
4	ECLK+	-	-	-
5	ECLK-	-	-	-
6	E2+	-	-	-
7	E2-	-	-	-
8	E1+	-	-	-
9	E1-	-	-	-
10	E0+	-	-	-
11	E0-	-	-	-
12	GND4	13	-	bk
13	O3+	18	-	wh
14	O3-	17	-	bl
15	OCLK+	15	-	wh
16	OCLK-	14	-	bl
17	O2+	12	-	wh
18	O2-	11	-	bl
19	O1+	9	-	wh
20	O1-	8	-	bl
21	O0+	6	-	wh
22	O0-	5	-	bl
23	GND3	10	-	bk
24	GND2	7	-	bk
25	GND1	4	-	bk
26	-	-	-	-
27	VDD4	29	-	rd
28	VDD3	28	-	rd
29	VDD2	27	-	rd
30	VDD1	26	-	rd

Description			
S1	Hirose: DF14-30S-1.25C or eq.	S1 Device	DCMR-60
S2	JAE: FI-X30HL or eq.	S2 Device	M185BGE-L22
S3	-	S3 Device	-
Wire	AWG28	RoHS 2	REACH
Remarks	1) LVDS pairs to be twisted (e.g. O0- & O0+)	2011/65/EU	EC No 1907/2006